



Product overview 2022

Innovative vacuum pumps, systems and components for diverse applications







Contents

Fore vacuum pumps	Oil sealed vacuum pumps:		
	Rotary vane pumps SOGEVAC B/BI/D/DI	06	
	Rotary vane pumps NEO D	06	
	Rotary vane pumps TRIVAC B, E and T	07	
	Oil sealed screw pumps VACUBE	07	
	Dry compressing vacuum pumps:		
	Scroll pumps SCROLLVAC plus	08	
	Multi-stage roots pumps ECODRY plus	08	
	Claw pumps CLAWVAC and CLAWVAC systems	09	
	Screw pumps VARODRY	10	
	VDi+ VARODRY system	11	
	Screw pumps LEYVAC	12	
	Screw pumps SCREWLINE	12	
	Screw pumps DRYVAC	12	
	Power saving unit for DRYVAC screw pumps	12	
	Screw pumps NOVADRY	14	
	Hygienic Enclosure for wash down	14	
	NDi NOVADRY systems	15	
	Rough vacuum electronics:		
	Multi-VAControl smart rough vacuum controller	16	
	VACcontrol smart power supply and vacuum controller	16	
	Roots pumps:		
	RUVAC WA(U)/WS(U)	17	
	RUVAC WH(U)	17	
High vacuum pumps	Fluid entrainment pumps:		
Trigit vacuum pumps	Oil booster pumps OB and oil diffusion pumps DIP	18	
	Oil diffusion pumps DIJ and big valve	19	
	Energy-efficiency control and big valves for diffusion pumps	19	
	Turbomolecular pumps:		
	TURBOVAC i/iX with hybrid bearing system	20	
	TURBOVAVC iR with remote drive	20	
	Magnetically levitated MAGintegra	21	
	Cryogenic pumps and refrigerator cold heads:		
	Refrigerator cryo pumps and COOLPAK	22	
	Refrigerator cold heads COOLPOWER	22	
	lon pumps, accessories and controllers:		
	TiTan ion pumps, NEG pumps and TSPs	23	

Vacuum gauges, vacuum controllers	Vacuum gauges and pressure gauges, vacuum controller GRAPHIX	24
Leak detectors	Leak detectors PHOENIX 4	25
	Mobile leak detection systems PHOENIX Cart	25
Gas analyzers	Residual gas analyzers LEYSPEC	26
	Mobile LEYSPEC residual gas analyzer system	26
Valves	LEYCON valves	27
Components	Flange systems, connecting elements and components	27
Systems + Solutions	Introduction Competence for tailor-made solutions worldwide	28
	Vacuum Systems / Engineering	30
	Multistage fore vacuum systems (RUTA)	30
	Screw pump DRYVAC Systems	31
	Screw pump DRYVAC PowerBoost	31
	Oil-sealed SOGEVAC / NEO System	32
	Central vacuum systems CVS	32
	High vacuum pump systems TURBOLAB and TURBOLAB Core	33
	Calibration systems CS	33
	Experimentation and coating systems UNIVEX	35
	Space simulation systems UNIVEX S	35
Service	Easy, Competent, Reliable	36
Vacuum academy	Vacuum technology seminars	41
Controllers and calculation tools	Innovative pump and system management	42
	Smart online vacuum system calculation tool LEYCALC	43
	Sound analyzer app	43
Online shop	leyboldproducts.com	44

Oil sealed vacuum pumps

SOGEVAC B/BI/D/DI

Single-stage rotary vane pumps

- **✓** Effective investment, long service life
- No oil loss, low power consumption

Your expectations:

- Industrial rough vacuum generator
- Favorable price-to-performance ratio
- High reliability
- ATEX or O₂ applications
- Low noise and clean operation

Our solutions:

- Pumping speed 10 to 840 m³/h
- Ultimate pressure ≤ 5 · 10⁻² mbar
- O₂-compatible versions
- Separate standard product line for the food and packaging applications
- Flexible pump design
- Quietest pumps on the market and oil loss below 1 ppm
- Certified according to ATEX directive 2014/34/EU
- Direct connection of RUVAC Roots pumps via adapter



NEO D

Medium vacuum rotary vane pumps

- No oil loss thanks to integrated exhaust filter
- **Effective investment**
- Maintenance free, up to 3 years in clean applications

Your expectations:

- Medium vacuum pumps at affordable costs
- No oil loss at exhaust
- Longest possible maintenance intervals
- Monitoring possibilities
- Broad portfolio, also for special demands

- Pumping speed 16 to 76 m³/h, all sizes available for single or 3 phase power supply
- Ultimate pressure ≤ 8 x 10⁻³ mbar
- Integrated exhaust filtration. Oil loss below 1 ppm.
- Use of long lifetime oils and dynamic shaft seals
- O_o-compatible versions
- Flexible pump design for accessories retrofit or dedicated customer variants



TRIVAC B, E, L and T

Dual-stage rotary vane pumps

- A well-proven vacuum pump for long-term operation lasting for years
- **☑** Broad range of accessories

Your expectations:

- Rugged vacuum generator
- High reliability
- ATEX explosion protection, optional

Our solutions:

■ Pumping speed TRIVAC B: 4 to 65 m³/h

TRIVAC E: 2.5 m³/h

TRIVAC L: 42 to 79 m³/h

TRIVAC T: 4 to 30 m³/h

■ Ultimate pressure TRIVAC B: 10⁻⁴ mbar

TRIVAC E: 2 x 10⁻³ mbar TRIVAC L: 6x10⁻³ mbar

TRIVAC T: 5 x 10⁻³ mbar

■ For medium and high vacuum applications

■ Economic OEM product range (TRIVAC T)

Certified according to ATEX directive 2014/34/EU (TRIVAC B)

Direct connection of RUVAC Roots pumps via adapter



VACUBE

Complete rough vacuum solution with oil sealed screw pumps

- **✓** Compact systems for vacuum generation on demand in industrial rough vacuum applications
- **Efficient and productive with long maintenance intervals**



Your expectations:

- Industrial grade vacuum generator
- System solutions to cover varying vacuum demands
- Set point operation
- Simple operation

- Highly efficient oil-sealed rotary screw technology
- Variable pumping speed, up to a maximum of 4,980 m³/h
- Ultimate pressure of 0.35 mbar
- Integrated frequency inverter for load depending speed control
- Sustainable power saving due to on-demand vacuum generation
- Controller with intuitive menu navigation for configuration and control
- Small footprint
- Programmable operation modes
- Plug and play system set up
- Long maintenance intervals

Dry compressing vacuum pumps

SCROLLVAC plus

Oil-free scroll pumps

Dry, universal solution, low operating costs

Your expectations:

- Oil-free vacuum pump
- Quiet, low vibration operation
- Long maintenance intervals

Our solutions:

- 4 speed variants SCROLLVAC 7, 10, 15 and 18 plus
- Single phase and three phase available
- Robust, low-maintenance design



ECODRY plus

Dry compressing multi-stage roots pumps

Compact vacuum pumps with low noise emission for clean applications



Your expectations:

- Noise-free and clean environment
- Easy handling
- High energy-efficiency
- Maintenance-free pump

- Pumping speed up to 65 m³/h
- Lowest noise level in class
- Air-cooled pump
- Oil and particle-free operation
- Adaptive speed control via Leybold vacuum gauge



CLAWVAC

Oil free claw pumps

- ✓ Compact rough vacuum pump for demanding industrial applications including handling of particle and vapor contaminated gases
- Trouble-free and cost-saving



Your expectations:

- Robust, oil-free vacuum pump for rough vacuum generation
- Long maintenance intervals

- Pumping speed 65 to 300 m³/h
- No oil migration into process, no oil contamination to the environment
- Extremely efficient air cooling, low heat emission.
 No cooling water required.
- Corrosion resistant pump chamber and stainless steel claws
- Simple and easy to clean on-site
- Up to 50% energy saving by operation with variable speed drive
- A special Oxygen variant will be released in 2022, which can handle up to 100% O₂



Dry compressing vacuum pumps







VDi+ VARODRY systems


Smart systems with integrated controller

- Intelligent pump systems with a little extra performance
- **Easy maintenance**
- Smart control

Your expectations:

- Adaptable to different process needs
- Low total cost of ownership and small footprint
- Strong and adjustable performance
- Energy efficient

- Special software features for advanced application needs
- Low maintenance cost due to low spare part needs
- Performance on demand via intelligent software functions
- Extra Roots to boost pump down
- Additional energy savings with the energy saver kit



Dry compressing vacuum pumps

LEYVAC Dry compressing screw pumps Rugged vacuum pumps for industrial applications and high process throughputs Hermetical sealed design for safe handling of hazardous gases Your expectations: Industrial vacuum generator Long system uptimes High pumping speed already at atmospheric pressure Our solutions: Pumping speed 80 to 160 m³/h Ultimate pressure ≤ 1 ⋅ 10² mbar Hermetically sealed pump Direct connection of RUVAC Roots pumps via adapter

SCREWLINE

Dry compressing screw pumps

✓ Extremely robust for harshest industrial applications, simple on-site maintenance

Your expectations:

- High pumping speed
- Easy to clean
- Air cooled
- ATEX explosion protection (Cat. 2i)

- Pumping speed 630 m³/h
- Ultimate pressure ≤ 1 · 10⁻² mbar
- Expandable to pump systems by adding Roots pumps
- Monitoring system
- Easy to disassemble pump chamber for rapid cleaning
- Certified according to ATEX directive 2014/34/EU
- Direct connection of RUVAC Roots pumps via adapter



DRYVAC

Dry compressing screw pumps

Rugged, compact vacuum solutions with smart monitoring and control system for coating, photovoltaic and process industry applications

Your expectations:

- Maximum system availability
- Low cost of ownership
- Minimum footprint
- Self protection of the pump and easy communication

Our solutions:

- Pumping speed from 200 to 1,600 m³/h
- Guarantees highest uptime by robust and performant design
- Proven in harsh applications
- Higher production yield and longterm stable pumping speed
- Benchmarking energy savings by sophisticated rotor design
- Easy installation by most compact design
- Quiet less noise load at production
- Intelligence on board easy control and self monitoring by integrated FC
- Dry solution for every application
- Direct connection of RUVAC Roots pumps via adapter
- DRYVAC FRAM version for daily wash down and higher food safety

DRYVAC Energy Saver

Power saving unit for DRYVAC and DRYVAC system

Fast ROI (approx. 1 year) with power savings up to 50%

Your expectations:

- Cost savings through reduction of energy consumption
- Improved ultimate pressure

- Power savings up to 50% at inlet pressures < 5 mbar
- Ultimate pressure improvements by 1 decade
- For all pumps and systems with LEYBONOL LVO 210
- To be used in applications with non-flammable gases or oxygen concentrations ≤ 21%



Dry compressing vacuum pumps

NOVADRY

Dry compressing screw pumps

- **☑** Robust 100% oil-free, air-cooled design with simple on-site maintenance
- Specially designed for usage in sensitive applications as food processing and packaging

Your expectations:

- Zero oil emission to avoid oil contamination of products
- Lowest maintenance demand
- Simple plug & play installation without complicated control and need for utilities
- Lowest cost of ownership
- No need for expensive PFPE

Our solutions:

- 100% oil-free design
- Fully air-cooled design, following hygienic principles
- Standard pump released for "Modified Atmosphere Packaging" (MAP) with O₂
- Maximum robustness and extended uptime
- Low noise level
- Low operating cost



Hygienic Enclosure

Enables wash down cleaning of pumps installed inside food processing area

- Protects pump against contamination (e.g. during food processing) or aggressive wash-down agents
- Standardized design, available for all Leybold's industrial food pumps

Your expectations:

- Full hygienic operation of vacuum pumps inside the food processing area
- No pump corrosion by aggressive cleaning agents
- Cost effective solution which avoids pumping speed losses over long piping
- No pump overheating by unqualified enclosure design
- Easy integration

- Corrosion resistant stainless-steel materials resistant against aggressive wash down cleaning agents
- Hygienic design with declining surfaces no accumulation of wash-down liquids at the surface
- Prevents contact of pump surfaces with food or wash-down media
- Qualified design preventing pump overheating by enclosure
- Fast & easy assembly on site









NDi NOVADRY systems

Smart systems with integrated controller

- Intelligent pump systems with a little extra performance
- **Easy maintenance**
- **☑** Smart control

Your expectations:

- 100% oil free for clean exhaust
- Robust dry screw at any working pressure
- Plug & Pump air cooled and ready-to-go

- Strong performance down to 0,1 mbar ultimate pressure
- No oil changes or oil filter changes for low maintenance
- High performance at any working pressure
- Gas ballast & self draining design
- Connection and synchronization of multiple systems and pumps with VAControl



Rough vacuum electronics

Multi-VAControl

Smart rough vacuum control

Multi-VAControl creates an interconnected system of multiple pumps, ideally with variable speed driven pumps but also fix speed or even competitor pumps could be controlled

Your expectations:

- Cost optimizations via energy savings
- An inteligent pump control with wide communication functionalities
- A solution easy to use and install

- Modes to optimise energy use, maintenance intervals or best of both
- Direct communication via diffferent ways I/O, field busses
- Plug and play set-up





Roots pumps

RUVAC WA(U)/WS(U)

Roots blowers

- **✓** Long-lasting and reliable
- Easy connection to any fore vacuum pump

Your expectations:

- Pumping speed increase at low pressures
- Simple to use
- Oil-free pumping of the gas
- ATEX explosion protection

Our solutions:

- Pumping speed range from 250 to 4,000 m³/h
- Reliable and robust
- Available with flanged motor or with hermetically sealed drive motor
- Suitable for 100% O₂ applications
- Certified according to ATEX directive 2014/34/EU

Direct connection of large fore vacuum pumps via adapter



RUVAC WH(U) Roots blowers An innovative product line, efficient and cost-effective for use in modern process industry applications Your expectations: ■ Flexible pumping speed through frequency converter operation Rapid pumpdown times Compact design Oil-free pumping of gases Leybold System compatibility Low current consumption **Our solutions:** Pumping speed from 720 to 9,800 m³/h (with frequency converter) Excellent performance and consumption specifications Hermetically sealed drive motor ■ Small footprint ■ Innovative Bypass valve Certified according to ATEX directive 2014/34/EU, partially also according to ATEX Cat 2i

Fluid entrainment pumps

Oil Booster OB

Oil vapor jet pumps

✓ Robust oil booster pumps with high pumping speed and gas-throughput for harsh process industry applications

Your expectations:

- High vacuum
- Very high critical backing pressure capability
- High pumping speed
- Safe and economic design
- High energy efficiency requirements

Our solutions:

- Pumping speed: 6,000 to 18,000 l/s
- Operating range: <10⁻¹ to 10⁻⁴ mbar
- High gas-throughput
- Stable pumping speed in low pressure ranges
- Small footprint
- Reduction of CO₂ footprint and energy savings via our innovative Energy Efficiency Controller

DIJ

Oil diffusion pumps

✓ High performant oil diffusion pumps with improved gas-throughput and pumping speed in combination with energy efficient design

Your expectations:

- High gas-throughput in medium & high vacuum applications
- High pumping speed
- High energy efficiency requirements

- Pumping speed: 3,000 to 33,000 l/s
- Operating range: <10⁻¹ to 10⁻⁷ mbar
- High gas-throughput & pumping speed in the range of <10⁻² mbar
- Optimized nozzle system for high fore-vacuum stability and throughput
- Reduction of CO₂ footprint and energy savings via our innovative Energy Efficiency Controller
- Available in ISO or ANSI flange sizes



DIP

Oil diffusion pumps

High performant oil diffusion pumps for high vacuum applications, where high pumping speeds are needed

Your expectations:

- Stable high vacuum
- High pumping speed
- Safe and economic design
- High reliability in industrial high vacuum applications

Our solutions:

- Pumping speed from 3,000 to 50,000 l/s
- Operating range: <10⁻¹ to 10⁻⁷ mbar
- Innovative direct heater concept for improved heat-up times
- Reduction of CO₂ footprint and energy savings via our innovative Energy Efficiency Controller

Big valve

Stainless steel valve for high vacuum

Long lifetime and easy service and maintenance

Your expectations:

- Membrane sealed
- Low leak rate

Our solutions:

- Long lifetime, high cycle rate (> 50,000)
- Low conduction, completely protected
- Include Bypass and measure flange
- FPM O-ring sealed
- One plug, sensorics and pilot valve connected





Energy Efficiency Control (EEC)

Control unit for oil diffusion pumps and OB pumps

- Fast ROI (< 2 years) with power savings up to 30%.
- Easy and convenient to use
- Optimized power and oil based power consumption

Your expectations:

- Cost savings through reduction of energy consumption
- Simple to use
- PLC controlled

- Power savings up to 30%
- Improved service life for the oil and the heating cartridges
- Simple visual monitoring of the parameters through graphic user interface
- Equipped with USB interface and Ethernet



Turbomolecular pumps

TURBOVAC i/iX

Turbomolecular pumps with hybrid bearing technology

Innovative and flexible product range with outstanding performance data and integrated electronics

Your expectations:

- Clean high and ultra-high vacuum generation
- Long service life
- Ease of installation and operation
- Reliable usage under the most varied applications and operation conditions

Our solutions:

- Pumping speed up to 1.450 l/s
- Oil free hybrid bearings (mechanical/permanent magnetic)
- Installation in any orientation
- Integrated electronics including a variety of options for communication and control of accessory components
- TURBO.CONTROL i display unit (optionally as rack version or benchtop unit) to control and monitor the pump including connection facility for two pressure gauges available as accessor

TURBOVAC IR

Turbomolecular pumps with remote drive

Especially designed for challenging R&D applications

Your expectations:

- Remote electronics
- Radiation restistance

Our solutions:

- Oil-free, robust turbomolecular pump
- Installation in any orientationRemote electronics including

a variety of options for

communication



TURBOVAC MAGINTEGRA

Turbomolecular pumps, magnetically levitated

- Most compact product line for industrial applications
- On-board frequency converter and power supply
- Easy and space-saving system integration

Your expectations:

- Clean high and ultra-high vacuum generation
- Suitable for industrial use, like PVD and coating processes, display and glass coating
- Insensitivity to particles or deposits
- Low maintenance requirements

- Pumping speed up to 2,200 l/s
- High pumping speed and high compression ratios for all gases
- Holweck stage incorporated
- Resistant to particles and deposits
- Insensitive to shock-venting
- Monitoring and self-protection functions
- Maintenance-free in most applications





Cryogenic systems

COOLVAC cryo pump COOLPAK helium compressor

Cryogenic systems

- High water vapor pumping capability
- **✓** Long maintenance intervals
- Installation in any orientation
- Boost (fast cool down), customized or economical mode

Your expectations:

- Hydrocarbon-free vacuum
- High and ultra-high vacuum generation

Our solutions:

- Pumping speed up to 60,000 l/sec
- DN ISO-K, ISO-F, CF and ANSI flange variants with vertical or horizontal orientation
- Two variants for manual and for fully automatic system control and regeneration available
- Pump controller mounted on pump for fully automatically controlled iSL version for easy process and network system integration



COOLPOWER refrigerator **COOLPAK** helium compressor

Cooling systems

- Gas refrigerating machines for cryogenic temperature generation based on the Gifford-McMahon principle
- ✓ Designed for cooling superconductors (magnets, samples and sensors) for medical applications and research

arch

Your expectations:

- High refrigerating capacity
- Small footprint
- Long maintenance-free operating time
- Low vibrations

- Ultimate temperatures: two-stage models down to 8 K single-stage models down to 25 K
- High refrigerating capacity from the smallest volume:
 - up to 18 W @ 20 K and up to 110 W @ 80 K for double stage coolers
 - up to 250 W @ 80 K for single stage coolers possible
- Resistant to particles and deposits
- Simple operation by key-press
- High reliability

Ion pumps

TiTan ion pumps, NEG pumps and TSPs

Pump systems for ultra-high vacuum

✓ A full range of vibration-free and maintenance-free TiTan ion pumps, titanium sublimation pumps (TSP) and non-evaporable getter (NEG) pumps to achieve ultimate pressures in the ultra-high vacuum

Your expectations:

- High pumping speed at ultra-high vacuum
- Hydrocarbon-free vacuum
- Long operating time
- Complete solutions

- Pumping speed from 0.2 to 1,200 l/s
- Ultimate pressure < 1 x 10⁻¹¹ mbar
- Various TiTan pump elements for different requirements available:
 - TiTan CV with titanium cathodes for pumping air and reactive gases
 - TiTan DI for pumping air and reactive gases,
 noble-gas stable (titanium and tantalum cathodes)
 - TiTan TR classic triode for higher pumping speed in high pressure ranges, noble gas stable
 - A broad variety of NEG pumps and TSPs for either separate use or integrated into TiTan ion pumps
- TiTan, NEG and TSP components are bakeable up to 450 °C
- Wide range of accessories
- DIGITEL controller models for operation of ion pumps,
 TSPs and NEGs in diverse applications and configurations
- HV cables are available to connect your controller and ion pump











Vacuum gauges, vacuum controllers

Measuring instruments

Vacuum pressure gauges

✓ Reliable monitoring and control for all vacuum processes

Your expectations:

- Gauge systems for every application
- Precise pressure measurement of gases and vapors
- Reproducibility across a wide pressure range

Our solutions:

- Measurement with active and passive sensors in a pressure range from 10⁻¹² to 2,000 mbar for every application
- Intuitive operation and flexible data retrieval
- Pressure switches and pressure control instruments
- Handheld versions for easy and reliable pressure measurements
- DAkkS or factory calibration of vacuum gauges in the pressure range from 10-8 to 1,000 mbar system integration



GRAPHIX

Vacuum controller

✓ Universal controllers for the connection of active vacuum sensors for direct pressure measurements in the range of 10⁻¹⁰ mbar to 2,000 mbar

Your expectations:

- Operation and control of the entire vacuum system
- Simple handling and operation (plug & play)
- Fast process data accumulation and transfer via USB to PC

- Monitoring and control of the entire vacuum process
- Product range with 1, 2 or 3 measurement channels
- 3.5" TFT touchscreen display with intuitive user interface
- Easy to read curve or bar graph display
- Internal and external data-logging (USB port on the front) for configuration and real-time measurement data
- Readout selectable between mbar, Torr, Micron, Pascal, Psi
- Option to connect active vacuum gauges from various brands



Leak detectors

PHOENIX 4

Leak detectors

- The PHOENIX 4 product range sets new standards in helium leak detection
- Our product portfolio provides the perfect matching unit for every application

Your expectations:

- Non-destructive components testing for quality assurance
- Reliable technology
- Highest measurement reliability and accuracy
- Professional consulting and support

Our solutions:

- Suitable for mobile or stationary vacuum and sniffer operation
- Quick start-up, high measurement accuracy
- Internal data logging and simple external data acquisition via USB
- Intuitive HMI with simple controls, menu structure and user friendly multicolored touchscreen
- Integrated webserver featuring easy login via Wi-Fi for remote control with any internet-enabled smartphone or tablet

PHOENIX Cart

Mobile leak testing systems

- The PHOENIX 4 carts offer a wide range of pre-designed combinations, fully assembled and leak-checked
- Plug in & ready to start: Leak detection to-go

Your expectations:

- Mobile leak detection
- Ready-to-go solution
- Find leaks in the worst conditions
- Safety and performance

Our solutions:

- Pre-assembled system
- Fully customizable
- Best performance
- High reliability



PHOENIX MOBILIS & PHOENIX MOBILIS MAG

Handheld multiple gas leak detectors

Your expectations:

- Fast, accurate and high sensitive leak detection
- Ease of use and high flexibility
- Reliability
- Durable and robust

Our solution for PHOENIX MOBILIS

Ideal for standard industrial environments and quick checks in laboratories

- Multiple gas leak detector
- Portable and handheld
- Light weight
- Peace of mind: 2-year warranty

Our solution for PHOENIX MOBILIS MAG

Ideal for leak detection in magnetic fields environments

 All features of the standard PHOENIX MOBILIS combined with magnetic protection



Residual gas analyzers

LEYSPEC

Residual gas analyzers

All-in-one devices with integrated control and display for demanding test procedures and residual gas analysis in high vacuum systems, general gas analysis in research and industry or for environmental tracking

Your expectations:

- Most accurate residual gas analysis
- Easy operation
- Bake out possibility for high and ultra-high vacuum applications

Our solutions:

- High sensitivity residual gas analysis allowing the detection of smallest traces of contaminants or process gases
- Product range with solutions for 100, 200 or 300 amu
- Simple residual gas analysis is possible even without connection to a computer
- Intuitive operated LEYSPEC software, integrated display
- Key gases can be displayed at the push of a button, a spare display channel for additional gases is available
- Preinstalled functions, like helium leak test, warnings and error levels for selectable gases, degassing function after start or venting
- Compact in size and mountable in any orientation for enhanced flexibility
- Bake out temperatures of up to 300°C for operation in harsh environments

LEYSPEC Cart

Mobile residual gas analyzer system

- Mobile visibility
- Fully integrated differential pumping system
- Easy handling
- Maximum flexibility

Your expectations:

- Mobile gas analysis system
- Complete independent pumping system
- Easily adaptable to a wide range of measurement tasks
- Operable at various pressures
- Rapid operational readiness

- Independent pumping system with SCROLLVAC 7 plus and TURBOVAC 350i
- Integrated process control for quick and easy operation
- Easy and intuitive software for LEYSPEC RGA
- Completely integrated in an independently movable cart
- UHV needle valve for flexible operation at different pressure levels up to atmosphere



Valves and components

LEYCON

Valves in different design types and driving modes

✓ Reliable valve technology, widely used in a broad range of applications

Your expectations:

- Reliable leak tightness
- High number of actuations
- Simple to fit and remove
- Delivery from a single source

Our solutions:

- Manually actuated valves
- Valves with electromagnetic/electropneumatic drive
- Gate valves
- All-metal valves for UHV systems
- SECUVAC safety valves
- Special valves, such as vacuum lock and sealing valves, venting valves, leak valves



Flanges

Connection components

- Well proven and widely used technology
- **✓** Almost any connection possible

Your expectations:

- Simple to fit and remove
- Reliable leak tightness
- High class materials, top quality
- Delivery from a single source

- ISO-KF small flanges in sizes DN 10 to DN 50
- ISO-K flanges in sizes DN 63 to DN 630
- CF flanges in sizes DN 16 to DN 250



Systems + Solutions

Customer first – competence for tailor-made solutions worldwide

The Systems + Solutions business unit with its **global setup delivers tailor-made solutions** solving the customer's demands. Listening carefully to the customer the core function of our organization is to meet customer's expectations by identifying and **providing the best vacuum concept.** Our portfolio varies from standard to customized and specialized vacuum systems and solutions. **We address a wide range of vacuum applications and markets** including integration in specific production environments.

Working in close collaboration with sales, we support integrated application development, engineering and design. Production sites in North Americas Europe and China ensure a close proximity to our customers with local assembly and test capabilities and efficient order execution. **This makes our team a true global player** and **and a reliable partner in the field of vacuum systems.**







Systems + Solutions

Special systems

System solutions - tailor-made concepts based on customer specifications

- **✓** Vacuum solutions and systems of all kinds from many supplier
- **☑** Benefit from our experience since 1850

Your expectations:

- Comprehensive consulting service
- Customer specific application support
- Design and manufacturing of custom vacuum solutions
- High flexibility and reliability
- Efficient solutions

Our solutions:

- System solutions tailor-made concepts based on customer specifications
- Integrated fore vacuum and high vacuum pump systems for custom requirements
- Worldwide engineering, production and service centers
- Global project coordination
- Custom software programming and customization
- Constant product improvements and innovations
- On-site commissioning and training



RUTA vacuum systems

Multistage fore vacuum systems

✓ Reliable process engineering solutions since 1850 of experience in designing customized vacuum systems and custom controls

Your expectations:

- Professional consulting
- Design and delivery of demand-oriented and optimized vacuum systems
- Reliable engineering solution

- Custom designed fore vacuum pump systems
- Oil-sealed/dry compressing
- Pumping speed and ultimate pressures adapted to the process
- Additional high vacuum stages facilitate operating pressures down to 10⁻⁷ mbar



DRYVAC systems

Dry compressing pump systems

- ✓ Leybold has refined its DRYVAC vacuum pump systems, making them adaptable for a variety of applications
- Basic and smart system configuration

Your expectations:

- Maximum system availability
- Reliable engineering solution
- Minimum footprint
- Self protection of the pump and easy communication

Our solutions:

- Extremely compact design provides more space in production areas
- Very low noise level improves working environment conditions
- Significant cost reduction because of high energy efficiency
- Clean technology with no oil emissions
- Optimized for fast cycle / load lock applications
- Fastest pump down times by high throughput pump mechanisms
- Highest pumping speed for dry and booster pumps
- Pumping speed from 2,000 m³/h up to 9,800 m³/h
- Integrated smart monitoring of major parameters
- Standard Digital I/O interface and Profibus (optional) for the whole product family





DRYVAC PowerBoost

Dry compressing pump systems

- Its design has been specifically optimized for fast load lock pump-downs
- It is equipped with an automatic cycle detection system, and the Roots pump shows a special speed management

Your expectations:

- Fast pump-down time
- High energy efficiency
- Low cost of ownership and investment
- Minimum footprint

- Integrated frequency converters
- Micro-controller with touchscreen
- Digital I/O communication interface (DC37-P)
- Harting connections (power supply)
- Housing, castors and adjustable feet
- The system is water-cooled and lubricated with synthetic oil



Systems + Solutions

SOGEVAC / NEO D systems

Oil sealed standard vacuum systems

- Combination of dry compressing roots pumps and oil-sealed rotary vane pumps
- ✓ Vacuum systems based on oil-sealed SOGEVAC pumps deliver an excellent cost vs. performance ratio for a broad base of industrial applications

Your expectations:

- Comprehensive consulting service
- Customer specific application support
- Design and manufacturing of custom vacuum solutions
- High flexibility and reliability
- Efficient solutions

Our solutions:

- System solutions tailor-made concepts based on customer specifications
- Worldwide engineering, production and service centers
- Global project coordination
- Constant product improvements and innovations
- On-site commissioning and training



CVS

Central vacuum stations

- Modular systems for improved operational reliability in frequent varying vacuum consumptions
- Delivery of turnkey ready-to-operate and tested units

Your expectations:

- Industrial grade vacuum generator
- For covering demands of numerous small vacuum consumers individually and simultaneously
- Excellent vacuum performance data
- Modular design for customizing to customer specific processes

- Typically consisting of SOGEVAC pump(s), buffer vessel, electrical cabinet with controller, all connecting components
- Pumping speed 25 to 840 m³/h
- Ultimate pressure ≤ 0.5 mbar
- Vessel volume 60, 160, 300, 500 or 1,000 liters
- Electric power from 0.8 to 18.9 kW
- Control type BASIC or full featured
- Low cost of ownership



TURBOLAB and TURBOLAB Core

High vacuum pump systems

❷ Plug-and-play high vacuum pump systems based on well-proven components

Different configurations available to cover individual vacuum demands

Your expectations:

- High vacuum pump systems for industry and research
- Oil-sealed or dry compressing fore vacuum pumps for a hydro-carbon-free vacuum possible
- Compact and user-friendly solution

Our solutions:

- Pumping speed 78 400 l/s provided by the TURBOVAC i pump range
- Ultimate vacuum down to 10⁻¹⁰ mbar
- Completely preassembled units with turbomolecular pump,
 TPU display power unit, frequency converter and fore vacuum pump
- Easy to relocate pumps out and away from the frame
- Backlight display in the innovative TPU power unit
- Covering many applications with a full range of high vacuum and dry or wet fore vacuum pumps
- Integrated data logger and webserver for system control, monitoring and configuration
- Connection of up to six accessories and two gauges
- Benchmark design, reliability and functionality





Custom vacuum calibration systems

Process reliability by regular checks, adjustments and recalibration of vacuum gauges and sensors

Your expectations:

- Checking the characteristics of vacuum gauges
- Precise calibration of vacuum gauges in accordance with DAkkS (national accreditation body for the Federal Republic of Germany)
- Ensure reproducible parameters

Our solutions:

 Universal calibration systems with a special vacuum chamber, turbomolecular pump system, vacuum gauges and additional components depending on the calibration pressure



Systems + Solutions

UNIVEX

Experimentation and coating systems

- Easy operation and accessibility of vacuum chambers
- Manual or automatic process control and documentation

Your expectations:

- Flexible laboratory systems for vacuum coating
- Systems for university and industrial research
- Results transferable to large scale systems or serial production
- High reproducibility degree

- Multipurpose systems for the production of functional layers
- Modular system configuration, wide range of accessories
- Customized system solutions
- Variable chamber sizes





UNIVEX S

Space simulation systems

- Flexible solutions for various space applications
- Highest reliability for uninterrupted test cycles

Your expectations:

- Best simulation of space conditions
- Equipment reliability for uninterrupted test cycles
- Configurable/extendable equipment platform
- Universal usability in R&D and space industry

- Wide portfolio for thermal cycling, ion thruster testing, MLI-blanket baking etc.
- Optimized layout in terms of vacuum performance and temperatures
- Automatic process control and data logging
- Platform design with wide range of accessories
- Customized configurations for intensive use





Service



Easy, competent, reliable

We are where you are

With our comprehensive range of innovative service solutions, we offer excellent support for your Leybold vacuum pumps and we are committed to:

- Providing you with a reliable, first-class service throughout your pump's life cycle,
 no matter where in the world it is installed
- Maximizing your pump's uptime and ensuring it gets the best possible service
- Offering you specialist support with preventive maintenance and repairs

Read on to find out more about our complete range of vacuum pump services and how our specialists can help you. The rewards are maximum uptimes, low running costs and longer lifecycles.



Service



SERVICE CONTRACTS

Our full range of service contracts are designed to ensure the lowest total cost of ownership of your pumps, maximizing their performance and uptime. From preventive maintenance contracts to warranty extensions, we offer you customized solutions that let you focus fully on your production by providing a perfect match to your needs.



SPARE PARTS AND KITS

Our genuine spare parts fit your vacuum pump perfectly to ensure high reliability, performance, and a long service life. To ease your workflow and ensure you have everything you need for your pump, we put together spare parts kits for specific maintenance activities.







SERVICE TECHNOLOGY CENTER

Fully equipped to handle pumps from every kind of application, even the harshest, our service technology centers are ready to service your pumps. From preventive maintenance to repair, we offer transparent fixed-price solutions and the capability to do anything your pump requires.



FIELD SERVICE

Our team of vacuum pump experts come to your site to perform maintenance on your pumps, whether it is routine service or troubleshooting. Competent, reliable and there for you, they know what your pumps need to perform flawlessly at their best.



CERTIFIED AND EXCHANGE

Our certified and exchange stock is always available in an emergency and to ensure your manufacturing continues as smoothly as possible with a minimum of downtime. All pumps come with a 12-month warranty and are rebuilt and tested to industry standards to ensure that they deliver OEM performance.





GENIUS INSTANT INSIGHTS™


Our connectivity solution offers you 24/7 remote mobile access to your vacuum pumps. Alarms on failures, service maintenance, insights on up-time and energy consumption are all transparent on the Genius Portal. With Genius you can set up real time notifications about important events coming from the vacuum system, giving you the opportunity to avoid costly downtime and production losses – it has never been so convenient and easy to have a healthy and reliable vacuum pump installation.



LEYBONOL VACUUM PUMP OIL

LEYBONOL has been specially formulated to achieve the best performance for your pump. The premium quality of LEYBONOL ensures long oil exchange intervals and reduces power consumption as well as wear and maintenance costs. Our certified oils keep your production running and extend your pump life expectancy. You can find the correct oil for your pump using the Oil finder:





Service



Health Check PRO

Our approach to keep your vacuum pumps always in best shape. With Health Check PRO, we perform regular assessment to the pumps, it consists of non-invasive inspection of parts, connections, damages and vibration measurement, Health Check PRO allows customers to identify early deviations on pumps condition that could lead to major failure and jeopardize production output, moreover, customer will get detailed report with all recommendations needed to act preventively.

For effectiveness, Health Check PRO visits should take place twice per year, during normal service intervals.

More scenarios where you can benefit from Health Check PRO:

- Pumps with long interval between maintenances
- Pumps running in harsh applications
- After long standstill period
- Back up pumps
- When looking for condition-based maintenance



Vacuum academy



Controllers and calculation tools

Controllers


Innovative pump and system management

▼ Tailor-made controllers and control systems adapted to customer and process requirements for optimum performance and user convenience

Your expectations:

- Customer specific system interfaces
- Simple to complex visualization
- Power distribution integrated within the system
- Convenient control of all system components

- Control and data acquisition of system parameters via digital I/O interfaces or bus systems, Ethernet, Profibus, RS 232, WiFi, GSM, for example
- Implementation of custom software programming
- Simple digital display via touch panel up to visualization on mobile devices (via apps)



LEYCALC

Smart online vacuum system calculation tool


- New online tool to help with modeling vacuum systems for various applications, selection and implementation of vacuum pumps and measurement equipment
- With this new web-based tool, users can select and compile their vacuum solutions online

Your expectations:

- Vacuum system calculation tool able to simulate typical vacuum installations
- Easy to use
- Trustworthy results as basis for decision making

Our solutions:

- We make our expert tools available for our customers
- Simple handling, intuitive navigation
- Further access to our expert network on demand,
 e.g for simulation of complex systems
- Proven calculation results, based on Leybold's long time practical experience



Sound analyzer app

Immediate feedback on your pump's status

✓ Lay back and analyze your pump's status with a simple sound file

Check out our new sound analyzer app for our NOVADRY and VARODRY pumps

- No downloads or installations required
- Perform the sound analysis with five clicks at sound.leybold.com
- Condition of the bearings, gears and hence the belt can be recorded
- Results available within ten seconds
- Direct contact to our service & support team



Online Shop

Online shop

leyboldproducts.com

- Shop vacuum technology online
- Available in more than 12 countries worldwide

Your expectations:

- Easy order process
- Secure payment options
- Large product range, fast delivery

- Purchase vacuum components which do not require consulting, such as fittings, measuring instruments, pumps, spare parts, vacuum oils, lubricants
- Delivery with invoice, credit card or pre-payment
- Order 24 hours online



